

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problems Mailbox.**

fig. 1A

fig. 1B





Figure 1. Transient acneiform eruption caused by a single PDT treatment. (A) Baseline; (B) one week post-treatment.



Follow-up visit (week)

----- = Single treatment group, ____ = Multiple treatment group

Fig. 2A





Fig. 2B

with the treatment



Follow-up visit (week)

----- = Single treatment group, ____ = Multiple treatment group

fig. 2c




Fig. 2D

537-28
Fig. 3A

CS A3 T

Fig. 3B

Fig. 3C

[illegible]

Fig. 3D




Fig. 3E





Fig. 3F







fig. 4

Figure 4. Fluorescence of porphyrin from bacteria in follicles (red dots) decrease after a single PDT. Photographs were taken as described at baseline (A), week 3 (B), and week 20 (C) post-PDT.

101537-28

fig 5



101537-28




fig. 12

Pacific Electric

Fig. 7A




Fig. 2B




Fig. 8A




fig. 8B


[illegible]

fig. 9



Fig. 10A




Fig. 10B



Fig. 10C





Fig. 11

101537-28




fig. 12

101537-28